

ALDAN BASIC - double glass



**



code	merchandise	unit price EUR
1210111	ALDAN BASIC 1000 - gold glass, black front panel	
1210113	ALDAN BASIC 1000 - grey glass, black front panel	
1210112	ALDAN BASIC 1000 - black glass, black front panel	

* Please note the Aldan Basic 1000 is offered with NET price only (no additional discount available).

** Coloured decorative front plate on request.

MODEL		ALDAN BASIC 1000
dimensions L/W/H	(mm)	1000 x 760 x 1390 (1410)
colors		gold, grey, black
display area	m ²	1,5
temperature	(°C)	+4/+8
voltage	(V/Hz)	230/50
power	(W)	620
weight	(kg)	170



ALDAN LUX - double glass



code	merchandise	unit price EUR
1211111	ALDAN LUX 1000 - gold	
1211113	ALDAN LUX 1000 - grey	
1211112	ALDAN LUX 1000 - black	
121111L	ALDAN LUX 1000 - red	

MODEL		ALDAN LUX 1000
dimensions L/W/H	(mm)	1000 x 760 x 1390 (1410)
colors		gold, grey, black, red
display area	m ²	1,5
temperature	(°C)	+2/+8
voltage	(V/Hz)	230/50
power	(W)	720
weight	(kg)	194



ALDAN Straight - Basic/Lux



Basic **

code	merchandise	unit price EUR
1210S111SP	Aldan Basic 1000 straight - gold glass, black front panel	
1210S113SP	Aldan Basic 1000 straight - grey glass, black front panel	
1210S112SP	Aldan Basic 1000 straight - black glass, black front panel	
1211S111	Aldan Lux 1000 straight - gold	
1211S113	Aldan Lux 1000 straight - grey	
1211S112	Aldan Lux 1000 straight - black	
1211S11L	Aldan Lux 1000 straight - red	

* Please note the Aldan Basic 1000 is offered with NET price only (no additional discount available).

** Coloured decorative front panel on request



Lux

MODEL		Aldan Basic - Straight	Aldan Lux - Straight
dimensions L/W/H	(mm)	1000 x 760 x 1390 (1410)	1000 x 760 x 1390 (1410)
colors		gold, grey, black	gold, grey, black, red
display area	m ²	1,5	1,5
temperature	(°C)	+4/+8	+2/+6
voltage	(V/Hz)	230/50	230/50
power	(W)	620	720
consumption	(kW/24h)	9,1	10,5
weight	(kg)	183	194



ALDAN Lux - Self-Service



merchandise	unit price EUR
Aldan Lux - Self-Service	

MODEL		Aldan Lux - Self-Service
dimensions L/W/H	(mm)	1000 x 760 x 1390 (1410)
colors		gold, grey, black, red, white
display area	m ²	1,5
temperature	(°C)	+4/+8
voltage	(V/Hz)	230/50
power	(W)	800
weight	(kg)	188



GEORGIA III COLD - double glass



code	merchandise	unit price EUR
1420161	Georgia III 600 - gold	
1420163	Georgia III 600 - grey	
1420160	Georgia III 600 - inox	
1420111	Georgia III 1000 - gold	
1420113	Georgia III 1000 - grey	
1420110	Georgia III 1000 - inox	
1420121	Georgia III 1500 - gold	
1420123	Georgia III 1500 - grey	
1420120	Georgia III 1500 - inox	
1425211	Georgia III 90° Refrig. corner - gold	
1425213	Georgia III 90° Refrig. corner - grey	
1425210	Georgia III 90° Refrig. corner - inox	

BLACK version = price on request only



MODEL		600	1000	1500
dimensions L/W/H	(mm)	600 x 750 x 1340	1000 x 750 x 1340	1500 x 750 x 1340
colors		gold, grey, inox		
temperature	(°C)	+4/+8	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50	230/50
power	(W)	550	670	765
weight	(kg)	137	184	257

GEORGIA III - CHOCOLATE



code	merchandise	unit price EUR
1420361	Georgia III 600 chocolate - gold	
1420363	Georgia III 600 chocolate - grey	
1420360	Georgia III 600 chocolate - inox	
1420311	Georgia III 1000 chocolate - gold	
1420313	Georgia III 1000 chocolate - grey	
1420310	Georgia III 1000 chocolate - inox	
1420321	Georgia III 1500 chocolate - gold	
1420323	Georgia III 1500 chocolate - grey	
1420320	Georgia III 1500 chocolate - inox	

BLACK version = price on request only



MODEL		600	1000	1500
dimensions L/W/H	(mm)	600 x 750 x 1340	1000 x 750 x 1340	1500 x 750 x 1340
colors		gold, grey, inox		
temperature	(°C)	+14/+16	+14/+16	+14/+16
voltage	(V/Hz)	230/50	230/50	230/50
power	(W)	550	670	765
weight	(kg)	137	184	257

GEORGIA III COLD - SELF-SERVICE



code	merchandise	unit price EUR
1421611	Georgia III 1000 self-service - gold (3 shelves)	
1421613	Georgia III 1000 self-service - grey (3 shelves)	
1421610	Georgia III 1000 self-service - inox (3 shelves)	
1421621	Georgia III 1500 self-service - gold (2 shelves)	
1421623	Georgia III 1500 self-service - grey (2 shelves)	
1421620	Georgia III 1500 self-service - inox (2 shelves)	

BLACK version = price on request only

MODEL		1000	1500
dimensions L/W/H	(mm)	1000 x 750 x 1340	1500 x 750 x 1340
colors		gold, grey, inox	
temperature	(°C)	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50
power	(W)	690	920
weight	(kg)	190	260



GEORGIA III - COMBI



code	merchandise	unit price EUR
1424521	Georgia III 1500 combi - gold	
1424523	Georgia III 1500 combi - grey	
1424520	Georgia III 1500 combi - inox	

BLACK version = price on request only

MODEL		1000	1500
dimensions L/W/H	(mm)	1500 x 750 x 1320	1500 x 750 x 1320
colors		gold, grey, inox	
temperature	(°C)	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50
power	(W)	1340	1340
weight	(kg)	286	293



GEORGIA III - SPLIT



code	merchandise	unit price EUR
1420421	Georgia III 1500 Split - gold	
1420423	Georgia III 1500 Split - grey	
1420420	Georgia III 1500 Split - inox	

BLACK version = price on request only

MODEL		1000	1500
dimensions L/W/H	(mm)	1500 x 750 x 1320	1500 x 750 x 1320
colors		gold, grey, inox	
temperature	(°C)	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50
power	(W)	1340	1340
weight	(kg)	286	293



GEORGIA III - SALAD



code	merchandise	unit price EUR
1420511	Georgia III 1000 Salad - gold	
1420513	Georgia III 1000 Salad - grey	
1420510	Georgia III 1000 Salad - inox	
1420521	Georgia III 1500 Salad - gold	
1420523	Georgia III 1500 Salad - grey	
1420520	Georgia III 1500 Salad - inox	

BLACK version = price on request only



MODEL		1000	1500
dimensions L/W/H	(mm)	1000 x 750 x 1335	1500 x 750 x 1335
colors		gold, grey, inox	
temperature	(°C)	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50
power	(W)	675	745
weight	(kg)	164	237



GEORGIA III - STATIC



code	merchandise	unit price EUR
142S111	Georgia III 1000 Static - gold (2 shelves)	
142S113	Georgia III 1000 Static - grey (2 shelves)	
142S110	Georgia III 1000 Static - inox (2 shelves)	
142S121	Georgia III 1500 Static - gold (2 shelves)	
142S123	Georgia III 1500 Static - grey (2 shelves)	
142S120	Georgia III 1500 Static - inox (2 shelves)	

BLACK version = price on request only



MODEL		1000	1500
dimensions L/W/H	(mm)	1000 x 750 x 1340	1500 x 750 x 1340
colors		gold, grey, inox	
temperature	(°C)	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50
power	(W)	540	590
weight	(kg)	190	263



GEORGIA III - ICE CREAM



code	merchandise	unit price EUR
1426R11	Georgia III 1000, ice-cream - gold (+blind)	
1426R13	Georgia III 1000, ice-cream - grey (+blind)	
1426R10	Georgia III 1000, ice-cream - inox (+blind)	

BLACK version = price on request only

MODEL		1000			
dimensions L/W/H	(mm)	1000 x 750 x 1330	power	(W)	870
ice cream containers	(pc)	7	power by defrosting	(W)	2100
dimensions containers	(mm)	360 x 165 x 120	voltage	(V/Hz)	230/50
volume	(l)	5	cooler		R404A
temperature	(°C)	-16/-20	weight	(kg)	169
colors	gold, grey, inox				



GEORGIA III - NEUTRAL



code	merchandise	unit price EUR
1422061	Georgia III 600 neutral - gold	
1422063	Georgia III 600 neutral - grey	
1422060	Georgia III 600 neutral - inox	
1422d11	Georgia III 1000 neutral - gold	
1422d13	Georgia III 1000 neutral - grey	
1422d10	Georgia III 1000 neutral - inox	
1422d21	Georgia III 1500 neutral - gold	
1422d23	Georgia III 1500 neutral - grey	
1422d20	Georgia III 1500 neutral - inox	
1424111	Georgia III 1000 cash counter - gold	
1424113	Georgia III 1000 cash counter - grey	
1424310	Georgia III 1000 cash counter - inox	
1425111	Georgia III Corner 45° neutral - gold	
1425113	Georgia III Corner 45° neutral - grey	
1425110	Georgia III Corner 45° neutral - inox	

BLACK version = price on request only

MODEL		1000	1500
dimensions L/W/H	(mm)	1000 x 750 x 1340 (1320)	1500 x 750 x 1340 (1320)
colors		gold, grey, inox	
voltage	(V/Hz)	230/50	230/50
power	(W)	130	144
weight	(kg)	134	179



GEORGIA III - HOT




code	merchandise	unit price EUR
1446011	Georgia III 1000 Hot - gold	
1446013	Georgia III 1000 Hot - grey	
1446010	Georgia III 1000 Hot - inox	
1446021	Georgia III 1500 Hot - gold	
1446023	Georgia III 1500 Hot - grey	
1446020	Georgia III 1500 Hot - inox	

BLACK version = price on request only

MODEL		1000	1500
dimensions L/W/H	(mm)	1000 x 750 x 1340	1500 x 750 x 1340
colors		gold, grey, inox	
temperature	(°C)	+30/+80	+30/+80
voltage	(V/Hz)	230/50	230/50
power	(W)	3180	3235
weight	(kg)	181	249

GEORGIA - single glass



code	merchandise	unit price EUR
1400111	Georgia 1000 Cold - gold	
1400113	Georgia 1000 Cold - grey	
1400110	Georgia 1000 Cold - inox	
1400121	Georgia 1500 Cold - gold	
1400123	Georgia 1500 Cold - grey	
1400120	Georgia 1500 Cold - inox	

code	merchandise	unit price EUR
1402d11	Georgia 1000 Neutral - gold	
1402d13	Georgia 1000 Neutral - grey	
1402d10	Georgia 1000 Neutral - inox	
1402d21	Georgia 1500 Neutral - gold	
1402d23	Georgia 1500 Neutral - grey	
1402d20	Georgia 1500 Neutral - inox	
code	merchandise	unit price EUR
1440110	Georgia 1000 Hot - inox	
1440120	Georgia 1500 Hot - inox	

BLACK version = price on request only

MODEL		1000	1500
dimensions L/W/H	(mm)	972 x 750 x 1320	1472 x 750 x 1320
colors		gold, grey, inox	
temperature	(°C)	Cold +4/+8/ Hot +30/+80	Cold +4/+8/Hot +30/+80
voltage	(V/Hz)	230/50	230/50
power	(W)	569	711
weight	(kg)	175	227

GEORGIA SQUARE INOX COLD - double glass



Square 1000 High

code	merchandise	unit price EUR
1435010	Georgia 1000 Square	
1435020	Georgia 1500 Square	
1430150	Georgia 1000 Square LOW	
1435030	Georgia 1000 Square High (4 shelves)	

MODEL		1000	1500	LOW	HIGH
dimensions L/W/H	(mm)	1000 x 750 x 1320	1500 x 750 x 1320	1000 x 750 x 850	1000 x 750 x 1770
colors		inox			
temperature	(°C)	+4/+8	+4/+8	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50	230/50	230/50
power	(W)	569	711	410	585
weight	(kg)	207	264	190	254



GEORGIA SQUARE INOX NEUTRAL



code	merchandise	unit price EUR
1436d10	Georgia 1000 Square Neutral	

MODEL		1000	1500
dimensions L/W/H	(mm)	1000 x 750 x 1340 (1320)	1500 x 750 x 1340 (1320)
colors		inox	
voltage	(V/Hz)	230/50	230/50
power	(W)	130	144
weight	(kg)	134	179



GEORGIA SQUARE INOX HOT



code	merchandise	unit price EUR
1442010	Georgia 1000 Square inox Hot	

MODEL		1000
dimensions L/W/H	(mm)	1000 x 750 x 1320
colors		inox
temperature	(°C)	+30/+80
voltage	(V/Hz)	230/50
power	(W)	3125
weight	(kg)	195



Georgia CUBE II - STATIC



merchandise	unit price EUR
Georgia CUBE 1000 Static (2 shelves)	
Georgia CUBE 1500 Static (2 shelves)	

MODEL		1000	1500
dimensions L/W/H	(mm)	985 x 725 x 1324	1485 x 725 x 1324
colors		inox, standard colors of the metal base (RAL 1013, 9006, 3003)	
display area	m ²	1,46	2,10
temperature	(°C)	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50
power	(W)	569	711
weight	(kg)	207	264



Georgia CUBE II Cold / Neutral - double glass




merchandise	unit price EUR
Georgia CUBE II 600	
Georgia CUBE II 1000	
Georgia CUBE II 1500	
Georgia CUBE II 1000 self-service	
Georgia CUBE II 1500 self-service	
merchandise	unit price EUR
Georgia CUBE II 600 Neutral	
Georgia CUBE II 1000 Neutral	
Georgia CUBE II 1500 Neutral	
Georgia CUBE II Corner 45° Neutral	

*option of decorative cut-out (ILLUMINATED)

Corner 45° Neutral

MODEL		600	1000	1500	Corner 45°
dimensions L/W/H	(mm)	585 x 725 x 1324	985 x 725 x 1324	1485 x 725 x 1324	972/400 x 696 x 1324
colors		inox, standard colors of the metal base (RAL 1013, 9006, 3003)			
display area	m ²	0,84	1,46	2,10	1,15
temperature	(°C)	+4/+8	+4/+8	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50	230/50	230/50
power	(W)	510	569	711	41
weight	(kg)	143	207	264	109



Georgia CUBE II - TRANSPARENT



merchandise	unit price EUR
Georgia CUBE II 600 Transparent	
Georgia CUBE II 1000 Transparent	
Georgia CUBE II 1500 Transparent	

MODEL		600	1000	1500
dimensions L/W/H	(mm)	590 x 735 x 1344	990 x 735 x 1344	1490 x 735 x 1344
colors		inox or standard RAL colors of the metal base		
temperature	(°C)	+4/+8	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50	230/50
power	(W)	510	562	704
weight	(kg)	155	215	280



Georgia CUBE II - ICE CREAM



merchandise	unit price EUR
Georgia CUBE II 1000 Ice-cream	
Georgia CUBE II 1500 Ice-cream	

MODEL		1000	1500
dimensions L/W/H	(mm)	955 x 933 x 1357	1455 x 933 x 1357
colors		inox or standard RAL colors of the metal base	
temperature	(°C)	-16/-20	-16/-20
voltage	(V/Hz)	230/50	230/50
power	(W)	870	1100
weight	(kg)	210	295
containers	(5lt)	6	10



Georgia CUBE II - HOT



merchandise	unit price EUR
Georgia CUBE II 1000 Hot	
Georgia CUBE II 1000 Hot Self-service	

MODEL		1000
dimensions L/W/H	(mm)	990 x 735 x 1324
colors		inox or standard RAL colors of the metal base
temperature	(°C)	+30/+80
voltage	(V/Hz)	230/50
power	(W)	3100
weight	(kg)	172



GEORGIA EDEN - double glass



code	merchandise	unit price EUR
146011N	Georgia EDEN 1000 - gold (RAL 1036)	
1460113	Georgia EDEN 1000 - grey (RAL 9006)	
146011R	Georgia EDEN 1000 - bronze (RAL 2013)	
1460110	Georgia EDEN 1000 - inox	
146012N	Georgia EDEN 1500 - gold (RAL 1036)	
1460123	Georgia EDEN 1500 - grey (RAL 9006)	
1460120	Georgia EDEN 1500 - inox	

MODEL		1000	1500
dimensions L/W/H	(mm)	990 x 745 x 1324	1490 x 745 x 1324
colors		gold, grey, inox, bronze	
temperature	(°C)	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50
power	(W)	570	711
weight	(kg)	192	264

GEORGIA SMART - single glass



code	merchandise	unit price EUR
147011N	Georgia SMART 1000 - gold (RAL 1036)	
1470113	Georgia SMART 1000 - grey (RAL 9006)	
1470108	Georgia SMART 1000 - inox	
147012N	Georgia SMART 1500 - gold (RAL 1036)	
1470123	Georgia SMART 1500 - grey (RAL 9006)	
1470120	Georgia SMART 1500 - inox	

MODEL		1000	1500
dimensions L/W/H	(mm)	990 x 745 x 1324	1488 x 745 x 1324
colors		gold, grey, inox	
temperature	(°C)	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50
power	(W)	570	810
weight	(kg)	180	258



CUBE Jewelry



merchandise	unit price EUR
Cube Jewelry 1000 INOX	
Cube Jewelry 1500 INOX	

*Also in chocolate version.

MODEL		Cube Jewelry 1000	Cube Jewelry 1500
dimensions L/W/H	(mm)	985 x 736 x 1200	1485 x 736 x 1200
colors		inox	inox
display area	m ²	0,7	1,05
temperature	(°C)	+4/+8	+4/+8
voltage	(V/Hz)	230/50	230/50
power	(W)	410	610
consumption	(kW/24h)	4,9	7,3
weight	(kg)	142	213



Virginia Hot/Drop in



code	merchandise	unit price EUR
1234110	Virginia Hot	
123114H110	Virginia Hot - Drop in	

MODEL		Virginia Hot	Virginia Hot - Drop-In
dimensions L/W/H	(mm)	990 x 743 x 1324	988 x 727 x 1324
colors		inox	inox
display area	m ²	1,47	1,47
temperature	(°C)	+30/+90	+30/+90
voltage	(V/Hz)	230/50	230/50
power	(W)	3010	3010
weight	(kg)	172	152



VIRGINIA Free standing - double glass, stainless-steel



code	merchandise	unit price EUR
1230110	Virginia 1000 Standard - serve over	
1230111	Virginia 1000 Self-service	

MODEL		1000
dimensions L/W/H	(mm)	990 x 743 x 1324
colors		inox
display area	m ²	1,51
temperature	(°C)	+2/+6
voltage	(V/Hz)	230/50
power	(W)	570
weight	(kg)	200



VIRGINIA Drop in - double glass, stainless-steel



code	merchandise	unit price EUR
1231110	Virginia 1000 Serve over, Drop in	
1231111	Virginia 1000 Self-service, Drop in	

MODEL		1000
dimensions L/W/H	(mm)	990 x 743 x 1324
colors		inox
display area	m ²	1,51
temperature	(°C)	+2/+6
voltage	(V/Hz)	230/50
power	(W)	570
weight	(kg)	200



VIRGINIA LOW Free standing - double glass, stainless-steel



code	merchandise	unit price EUR
1230210	Virginia Low 1000 Serve over (2 shelves)	
1230211	Virginia Low 1000 Self-service (2 shelves)	

MODEL		1000
dimensions L/W/H	(mm)	990 x 743 x 1095
colors		inox
display area	m ²	1,51
temperature	(°C)	+2/+6
voltage	(V/Hz)	230/50
power	(W)	570
weight	(kg)	200



VIRGINIA LOW Drop in - double glass, stainless-steel



code	merchandise	unit price EUR
1231210	Virginia Low 1000 Serve over, Drop in (2 shelves)	
1231211	Virginia Low 1000 Self-service, Drop in (2 shelves)	

MODEL		1000
dimensions L/W/H	(mm)	990 x 743 x 1095
colors		inox
display area	m ²	1,51
temperature	(°C)	+2/+6
voltage	(V/Hz)	230/50
power	(W)	570
weight	(kg)	200



DENALI




merchandise	unit price EUR
Denali 1800	

MODEL		1800
dimensions L/W/H	(mm)	1857 x 1137 x 1350
colors		standard RAL colors of the front & side panels
temperature	(°C)	-18/-20
voltage	(V/Hz)	230/50
power	(W)	2100
weight	(kg)	550
containers	(5/7 lt)	18/12




GN 360 x 165 mm



2 x 9 GN

GN 360 x 250 mm



2 x 6 GN



COLUMBIA 900 SMALL - Square/Straight/Curved



Curved



Square

code	merchandise	unit price EUR
130S1H9Q2PU	Columbia 900 Small - Square open	
130S1H9S2PU	Columbia 900 Small - Straight open	
130S1H9C2PU	Columbia 900 Small - Curved open	



Straight

MODEL		Columbia Small 900 - Square/Straight/Curved	* Dimension incl. compulsory distance from wall
dimensions L/W/H	(mm)	900 x 660/760 x 1350	
colors		black	
display area	m ²	1	
temperature	(°C)	+2/+6	
voltage	(V/Hz)	230/50	
power	(W)	840	
consumption	(kW/24h)	15	
weight	(kg)	153	



COLUMBIA 600 SMALL - Square/Straight/Curved



merchandise	unit price EUR
Columbia 600 Small - Square open	
Columbia 600 Small - Straight open	
Columbia 600 Small - Curved open	

MODEL		Columbia Small 600 - Square/Straight/Curved
dimensions L/W/H	(mm)	600 x 660/*760 x 1350
colors		black or white metal sheets
temperature	(°C)	+2/+6
voltage	(V/Hz)	230/50
power	(W)	550
weight	(kg)	135

